

Need help? Call us at 1-800-932-3339 or email info@gymsupply.com

# Wingding

## Parts Included:

- 1 Wingding Top Assembly
- 1 Wingding Bottom Assembly
- 2 Locking pins
- 2 Kee Safety Collars

Tools/Additional Materials Needed: 5/16" Hex Key

### Instructions:

#### Step 1:


Slide top assembly into desired position on cross pipe, slide safety collars against Wingding and tighten set screws to 29 lb. ft.


## Step 2:


Insert unistrut end of top assembly into larger unistrut of the bottom assembly, then secure using the two locking pins.


#### Arm Adjustment:

To adjust arm angle, remove carriage bolt from hole in curved slot. Move arm to desired angle and reinstall bolt.













<u>WARNING</u>: These items are not toys. Activities involving motion and height create inherent risk of serious injury including paralysis or death. These products are intended for use by properly trained participants under qualified supervision, and the user of this product therefore assumes this risk. Always know your physical limitations and limits of your equipment. Avoid landing on head or neck as serious injuries may result. Always check for proper mat positioning, equipment stability, and inspect hardware for wear and damage before and after each use. Do not use if signs of damage or excessive wear are present. DGS shall not be liable for personal injury or property damage incurred through the use of purchased items.